

Obstetric Key Documents Contents Page-

Antenatal –

[Management of women with gestational diabetes](#)

[Hypothyroidism in Pregnancy](#)

[Type 1 and Type 2 Diabetes in Pregnancy](#)

[Administration of Ferinject](#)

[Management of women who refuse blood products](#)

[Pregnant women with red cell antibodies](#)

[Pregnancy management of Rh Negative women with ffDNA testing and Anti D prophylaxis](#)

[VTE in pregnancy](#)

[Actim partus test of prediction of preterm labour](#)

[APH including massive obstetric Haemorrhage](#)

[Breech presentation including ECV](#)

[Bereavement](#)

[Induction of Labour \(IOL\)](#)

[Management of FGR](#)

[Multiple Pregnancy](#)

[Maternal request for primary C/S](#)

[Management of cardiac arrest](#)

[PPROM](#)

[PGD Management](#)

[Referral for Obstetric Anaesthetic Clinic](#)

[Surrogacy](#)

[Spontaneous preterm labour](#)

[Spontaneous rupture of membrane \(SROM\)](#)

[Use of tocolysis in preterm labour](#)

[VBAC](#)

[Women with reduced fetal movements](#)

[Care for the Hep C positive pregnant women](#)

[Care for the HIV positive pregnant women](#)

[Group B Streptococcal infection](#)

[Inpatient Maternal Sepsis Tool](#)

[Maternal Sepsis](#)

[Maternal Sepsis Telephone Triage Tool](#)

[Suspected Chorioamnionitis](#)

[Syphilis in pregnancy](#)

[Handover of care in the antenatal, intrapartum and postnatal periods](#)

[Management of medical termination of pregnancy using mifepristone/misopristol for fetal abnormality or intrauterine death from 20 weeks](#)

[Management of obese women in pregnancy](#)

[Maternity Triage Operational Policy](#)

[Pregnant and recently delivered women who attend A&E or pregnant women seen in the non obstetric emergencies](#)

[Referrals to Maternity Triage](#)

[Follow up of women who fail to attend their appointment for antenatal care](#)

[Homebirth](#)

[Membrane Sweeping](#)

[Midwifery led antenatal care](#)

[Spontaneous rupture of membranes \(SROM\) not in labour after 37+ weeks and up to 42+ weeks gestation](#)

[Epilepsy in Pregnancy](#)

[Mental health issues in pregnancy](#)

[Cholestasis in pregnancy](#)

[Alcohol and illicit Drug User](#)

[Domestic Abuse](#)

[FGM](#)

[Amniocentesis](#)

[Amniocentesis- Patient information](#)

[Antenatal Paediatric referral](#)

[Management of suspected/identified fetal anomaly](#)

[Hepatitis B positive](#)

[HIV positive](#)

[Hepatitis C positive](#)

[Identification of low PAPP-A MoM and allocation of pregnant women to high risk care and serial growth scans](#)

[Newborn Blood Spot Screening Guideline](#)

[Syphilis](#)

[Sickle cell and Thalassaemia](#)

[Welcome to the Antenatal Ward - For Partners - Patient Information](#)

[Pathway for the management of placenta accreta](#)

[Outpatient induction of Labour \(IOL\)](#)

[Outpatient induction of labour patient information](#)

[Obstetric Antimicrobial Prophylaxis Guideline](#)

[Booking form for outpatient IOL](#)

[Outpatient IOL - Telephone review](#)

[Teenage Pregnancy Guideline](#)

[Fetal Anomaly Screening - Coverage for Down's, Edward's and Patau's Syndrome](#)

[Chlamydia Screening Guideline](#)

[SOP for Ultrasound Examination in the event of Suspected Intrauterine Death](#)

Intrapartum

[Care in labour including risk assessment](#)

[Eating and drinking in labour](#)

[Guidelines for midwives on the use of massage and aromatherapy](#)

[Homebirth](#)

[Intrapartum and postpartum bladder care](#)

[Meadow birth centre](#)

[Management of women not in established labour](#)

[Perineal tears and repairs](#)

[Transfer of women and/or babies from the community and into consultant unit](#)

[Use of water during Labour and birth](#)

[Care in labour including risk assessment](#)

[Eating and drinking in labour](#)

[Enhanced Care for the Severely Ill Obstetric Patient](#)

[Emergency Caesarean section](#)

[Fetal blood sampling](#)

[Failed Intubation on Obstetrics](#)

[Guidelines for in utero transfer from Worcester Royal Hospital](#)

[Group B streptococcal infection/guidelines for prevention of neonatal infection](#)

[Induction of labour \(IOL\)](#)

[Investigation of Thrombocytopenia in pregnancy and the management of gestational thrombocytopenia](#)

[Intrapartum Surveillance](#)

[Management of breech presentation including external cephalic version](#)

[Multidisciplinary care of the pregnant woman known to be HIV positive](#)

[Multidisciplinary care of the pregnant women known to be Hepatitis C positive](#)

[Multidisciplinary care of the pregnant woman known to be Hepatitis B](#)

[Management of women with gestational diabetes](#)

[Multiple Pregnancy](#)

[Management of obese women in pregnancy](#)

[Multidisciplinary guideline for the management of pelvic girdle dysfunction \(PGD\)](#)

[Management of women who refuse blood transfusion including blood products in pregnancy and postnatal periods](#)

[Management of pregnancy and labour following lower segment caesarean section](#)

[Management of women with ruptured uterus](#)

[Management of medical termination of pregnancy using mifepristone/misopristol for fetal abnormality or intrauterine death from 20 weeks](#)

[Spontaneous preterm labour](#)

[Thromboprophylaxis during pregnancy, labour and the postnatal period](#)

[Worcestershire Obstetric Warning WOW chart](#)

[Amniotic fluid embolism](#)

[Cord prolapse](#)

[Detection, investigation and management of maternal sepsis](#)

[Health professional involved with cases of maternal death](#)

[High dependency care for severely ill obstetric patient](#)

[Intrauterine tamponade balloon for postpartum haemorrhage](#)

[Management of HELLP/AFLP/Eclampsia](#)

[Significant hypertension and pre-eclampsia in pregnancy](#)

[Shoulder dystocia](#)

[Cell salvage in maternity guidelines](#)

[Elective caesarean section](#)

[Emergency caesarean section](#)

[Intrauterine tamponade balloon for postpartum haemorrhage](#)

[Inverted uterus](#)

[Management of breech presentation including external cephalic version \(ECV\)](#)

[Management of retained placenta](#)

[Management of postpartum haemorrhage \(PPH\) including massive obstetric haemorrhage](#)

[Perineal tears and repairs](#)

[Vaginal operative delivery](#)

[Clinical Supervision of temporary and locum members of junior clinical staff](#)

[Partners staying overnight on the maternity unit](#)

[Safe staffing levels maternity department](#)

[Safe staffing levels Obstetrician](#)

[Antacid prophylaxis in Obstetrics](#)

[Dural puncture - Management of headache](#)

[Epidural analgesia in labour](#)

[Obstetric theatre and intervention room policy](#)

[Obstetric theatre recovery](#)

[Use of main theatres for obstetrics](#)

[Protocol for Third Trimester Ultrasound Scans](#)

[Protocol for the 18+0 - 20+6 week Anomaly Scan](#)

[Protocol for dating scans](#)

[Protocol for Viability Scans](#)

[Patient Controlled Intravenous Remifentanyl Administration for Labour Analgesia](#)

[Guideline for Prenatal Diagnosis and Management of Vasa Praevia](#)

Postnatal –

Mother-

[Pregnancy management of Rh Negative women with ffDNA testing and Anti D prophylaxis](#)

[Perineal tears and repairs](#)

[Bereavement issues](#)

[Postnatal readmission](#)

[Perineal tears and repairs](#)

[Pregnancy management of Rh Negative women with ffDNA testing and Anti D prophylaxis](#)

[Worcestershire Obstetric Warning WOW chart](#)

[Detection, investigation and management of maternal Sepsis](#)

[HDU care of severely ill obstetric patient](#)

[Management of HELLP/AFLP/Eclampsia](#)

[Maternal Death](#)

[Postpartum haemorrhage \(PPH\) including massive obstetric haemorrhage](#)

[Significant hypertension and pre-eclampsia in pregnancy](#)

[Hypothyroidism in pregnancy](#)

[Investigation of thrombocytopenia in pregnancy and the management of gestational thrombocytopenia](#)

[Management of Mental Health issues in pregnancy](#)

[Multidisciplinary care of pregnant women known to be Hepatitis C positive](#)

[Multidisciplinary care of the pregnant women known to be HIV positive](#)

[Management of women with epilepsy in pregnancy](#)

[Management of women with gestational diabetes](#)

[Multidisciplinary care of pregnant women known to be Hepatitis B positive](#)

[Management of syphilis in pregnancy](#)

[Management of obese women in pregnancy](#)

[Pregnant women with red cell antibodies](#)

[Type 1 and Type 2 Diabetes in Pregnancy](#)

[Thromboprophylaxis during pregnancy,labour and the postnatal period](#)

[VTE in pregnancy](#)

[Dural Puncture - Management of Headache](#)

[Care of the pregnant alcohol and illicit drug user](#)

Domestic Abuse

[Handover of care in antenatal, intrapartum and postnatal period](#)

[Postnatal care planning and provision of information](#)

[Transfer of mothers/babies to community care](#)

[Transfer of postnatal mother to join sick baby in another hospital](#)

[Transfer of sick postnatal mother to another hospital](#)

[Transfer of women and/or babies from community to consultation unit](#)

Baby-

[Infant Feeding Policy](#)

[Expressing and Storage of breast milk](#)

[Tongue tie in breastfeeding](#)

[Care of the pregnant and illicit drug user](#)

[Domestic Abuse](#)

[Criteria for admission of babies to the neonatal unit](#)

[Postnatal readmission](#)

[Security of newborn infants](#)

[Transfer of postnatal mothers/babies to community care](#)

[Transfer of women and/or babies from community to consultation unit](#)

[Worcestershire Safer sleeping](#)

Miscellaneous

[Clinical supervision of temporary or locum members of junior clinical staff](#)

[Intra-Uterine Transfer Requests](#)

[Maternity training](#)

[Maternity Health records](#)

[Maternity and Neonatal Services Escalation](#)

[Meadow Birth Centre SOP](#)

[Partners staying overnight on the maternity unit](#)



[Safe staffing levels maternity department](#)

[Safe staffing level obstetrician](#)

[Standard Operating Procedure Women and Childrens Services WAHT and WVT](#)

[Preterm Prevention Clinic Treatment Pathway](#)