

Flexing Colonoscopy Capacity

Key Document code:	WAHT-KD-021	
Key Documents Owner:	Emma Duggan/Felicity Eykyn	Bowel Cancer & Bowel Scope Screening Manager/Bowel Cancer Lead Nurse Specialist Screening Practitioner
Approved by:	Bowel Screening Operational Meeting	
Date of Approval:	24 th April 2017	
Date of review:	11 th February 2022	

Key Amendments

Date	Amendment	Approved by
19 th June 2019	Documents extended for 6 months whilst reviewed	Emma Duggan
11 th Feb 2020	Documents extended for 6 months whilst review and approval is processed	Emma Duggan
27 th July 2020	Documents extended for 6 months during COVID-19 period	QGC/Gold Meeting
1 st March 2021	Document extended for 6 months as per Trust agreement 11/02/2021	
16 th July 2021	Documents extended for 6 months whilst review and approval is processed	Emma Duggan/ Mr Stephen Lake

Introduction

The Bowel Cancer Screening Programme (BCSP) dictates that 100% of patients should be offered a positive assessment clinic appointment within 14 days of the positive FOBt. In order to meet this standard it is necessary to monitor and adjust capacity for clinics in line with the demand from positive FOBts being read.

Please note that the key documents are not designed to be printed, but to be used on-line. This is to ensure that the correct and most up-to-date version is being used. If, in exceptional circumstances, you need to print a copy, please note that the information will only be valid for 24 hours and should be read in conjunction with the key document supporting information and/or Key Document intranet page, which will provide approval and review information.

Pathway

