




PATIENT INFORMATION  
**LATENT PHASE OF LABOUR**



## **WHAT IS THE LATENT PHASE OF LABOUR?**

The latent phase is the beginning of the first part of your labour. It is a period of time that will not necessarily be continuous and is unique to each individual woman. Some women will have backache and cramps or have bouts of contractions that may last a few hours which then stop and start up again the next day. This is perfectly normal.

The duration of the latent phase of labour can be variable. It may last for 24hrs or more and can be exhausting for you. It helps if you can stay as relaxed as possible during this part of your labour and remain at home in comfortable surroundings as long as you can.

## **WHAT IS HAPPENING DURING THE LATENT PHASE OF LABOUR?**

Your contractions will feel uncomfortable but they may not be regular. They will be sharp but short lasting, this is normal. They will stop and start, last for 30 – 40 seconds and may continue for several hours. This is normal too, in the latent phase. The neck of the womb (the cervix) has been long and closed during your pregnancy. These first contractions, along with the Braxton-Hicks contractions that you may have already experienced, help to soften the neck of the womb and prepare your body for active labour.

As the contractions become closer together, longer and stronger, the neck of the womb will also begin to shorten and then open up. Once the cervix is 4cm dilated and the contractions are regular (every five minutes) and lasting for at least a minute, then labour has become active.

## **WHAT SHOULD I DO ONCE THE LATENT PHASE OF LABOUR BEGINS?**

If you think your labour is starting then you may want to seek advice from your midwife. You can ring the hospital at any time on any of the following numbers for support and advice from a midwife.

**Worcestershire Royal Hospital**  
**01905 733196**

Details of your call and the advice that you receive, will be recorded in case you ring back with another query. You can ring back at any time of the day or night whenever you need further advice.

## **HOW CAN I HELP MYSELF?**

There are many ways of helping yourself to cope through these first hours of the latent phase of labour.

It is important to try and remain relaxed. Keep your breathing deep, steady and slow during a contraction. This will prevent you from using extra energy. Once the contraction is wearing off, close your eyes and allow your body to rest before the next one.

Take a warm bath or shower, at regular intervals. You will find the warmth of the water soothing and relaxing.

You may want to call your birthing partner for added support during this time. He/she will give you support and reassurance to help reduce your anxiety. It will be helpful if your partner massages your back to help with any backache and help you to relax and support you in any alternative positions that you may adopt. Your birthing partner can also make other family members aware of the latent phase of labour and encourage them to give support.

It is also important to remain active without exhausting yourself during this time. Take a walk out with your partner, stopping if you need to during a contraction. Remaining upright will assist gravity and help your baby to descend into the pelvis. Rocking your pelvis and swaying your hips can also assist you. If you have access to a birthing ball, use it regularly as this too can alleviate any discomfort.

## **THE LATENT PHASE OF LABOUR**

Working out whether you are in the early stages of labour or not, can be very confusing for you. This leaflet has been produced to help you and give you the confidence in yourself and in what is happening to you and your baby.

Remember that every woman's labour is different and sometimes it can take a long time, this is perfectly normal.

If you think you are in the early stages of labour, the main thing to remember is to stay calm and relaxed.

This leaflet will answer some of your questions and give you lots of suggestions to help you through the early part of your labour.

## **WHAT ARE BRAXTON HICKS CONTRACTIONS?**

Braxton Hicks can occur all through the late stages of your pregnancy. They are the tightening of the muscle of the uterus which last for 30 – 60 seconds and may be several times an hour, several times a day.

## **HOW CAN I TELL THE DIFFERENCE BETWEEN BRAXTON HICKS AND REAL LABOUR CONTRACTIONS?**

Labour contractions are noticeably longer, more regular, increase in frequency and are generally more painful than Braxton Hicks contractions.

## **WHAT ARE THE 3 DIFFERENT STAGES OF LABOUR?**

1. The first part of your labour is when the neck of the womb (cervix) opens to 10 centimetres.
2. The second part of your labour is when the baby moves down through the vagina and is born.
3. The third part is when the afterbirth (placenta) is delivered.

## **WHEN SHOULD I GO INTO HOSPITAL?**

If you have tried all of the above suggestions and your contractions are now regular and painful, you may want to ring the hospital again. The midwife will advise you depending on the information that you give.

If you are invited to go into the hospital then take a bag with you. However, if labour has not yet established you may be asked to return home. This decision will be based on the findings of a thorough examination and based on research that suggests that labour wards are not the appropriate environment for women who are in the latent phase of labour. We hope that this leaflet will have prepared you for the onset of labour and help you to be more relaxed and less fearful of the onset of labour. If you have any further concerns or questions, do not hesitate to contact:

**Worcestershire Royal Hospital**  
**01905 733196**

## **Patient Experience**

Being admitted to hospital can be a worrying and unsettling time. If you have any concerns or questions you should speak to a member of staff in the ward or department who will do their best to reassure you. If you are not happy with their response, you can ask to speak to someone in charge.

## **Patient Advice and Liaison Service (PALS)**

Our PALS staff will provide advice and can liaise with staff on your behalf if you feel you are unable to do so. They will also advise you what to do if your concerns have not been addressed. If you wish to discuss making a formal complaint PALS can provide information on how to do this. Telephone: 0300 123 1732. Monday to Thursday 8.30am to 4.30pm. Friday 8.30am to 4pm. An answerphone operates outside office hours. Or email us at: [wah-tr.PET@nhs.net](mailto:wah-tr.PET@nhs.net)

## **Feedback**

Feedback helps us highlight good practice and where we need to improve. There are lots of ways you can give feedback including completing a Friends and Family Test card or undertaking a survey. For further information please speak to a member of staff, see our Patient Experience leaflet or visit

[www.worcsacute.nhs.uk/contact-us](http://www.worcsacute.nhs.uk/contact-us)

**If you would like this leaflet in an alternative language or format, such as audio or braille, please ask a member of staff.**

## **Polish**

Jeżeli są Państwo zainteresowani otrzymaniem niniejszej ulotki w innej wersji językowej lub formacie, prosimy zwrócić się w tej sprawie do członka naszego personelu.

## **Bengali**

আপনি যদি এই লিফলেটটি অন্য ভাষায় বা ফর্ম্যাটে পেতে চান যেমন, অডিও বা ব্রেইল তাহলে অনুগ্রহ করে সদস্য বা কর্মীদেরকে তা জানান।

## **Urdu**

اگر اس کتابچہ کو آپ کسی متبادل زبان یا ہیئت جیسے آڈیو یا بریل میں چاہتے ہیں، تو برائے کرم اسٹاف رکن سے مانگیں۔

## **Romanian**

Pentru a obține această broșură în altă limbă sau în alt format fie audio sau limbajul Braille, vă rugăm să apelați la un membru al personalului.

## **Portuguese**

Caso deseje este folheto numa língua ou formato alternativos, tal como ficheiro áudio ou em Braille, por favor dirija-se a um dos nossos funcionários.

## **Chinese(Mandarin)**

如果您想要本手册的替代语言或格式的版本，如音频或盲文，请向工作人员咨询